

Author's copy of an article published in Psychology and Aging. Please cite this work as follows: Vallesi A., Hasher L., Stuss D.T. (2010). Age-related changes in transfer costs: evidence from go/nogo tasks. Psychology and Aging. Vol. 25 (4), pp. 963-967. DOI: 10.1037/a0020300. This material is presented to ensure timely dissemination of scholarly and technical work. Copyright and all rights therein are retained by the authors or by other copyright holders. All persons copying this information are expected to adhere to the terms and constraints invoked by each author's copyright. In most cases, these works may not be reposted without the explicit permission of the copyright holder.

Running Head: Age-related differences in transfer costs

Age-related differences in transfer costs: evidence from go/nogo tasks

Antonino Vallesi^{1,2,#}, Lynn Hasher^{2,3}, Donald T. Stuss^{2,3,4}

¹ International School for Advanced Studies, SISSA, Trieste, Italy

² Rotman Research Institute at Baycrest, Toronto, Canada

³ Department of Psychology, University of Toronto, Canada

⁴ Department of Medicine, University of Toronto, Canada

#Corresponding Author:

Antonino Vallesi

Cognitive Neuroscience Sector

International School for Advanced Studies (SISSA-ISAS)

Via Bonomea 265, 34136 Trieste, Italy

Phone: +39 040-3787622

Fax: +39 040-3787615

E-mail: vallesi@sissa.it

Abstract

To assess whether age-related differences in suppressing non-target material impact subsequent performance, younger and older adults first performed a go/nogo task with coloured letters used as conflicting go/nogo stimuli, and two coloured numbers as low-conflict nogo stimuli. Next, participants performed another go/nogo task. A previous number was re-used as a nogo stimulus and the other as a go stimulus, with new numbers serving as a baseline. In a first block of trials, younger adults showed slower responses to previous-nogo/now-go numbers than new go numbers, an effect not shown by older adults. Alternative accounts of these differential transfer costs are discussed.

Keywords: normal aging, suppression, transfer cost, cognitive interference, go/nogo.

Selective attention is the ability to choose goal-related targets and to ignore other information (Houghton & Tipper, 1994; Neill, 1977). Data from recent neuroimaging studies confirm a hypothesis first proposed by Hasher & Zacks (1988; Hasher, Zacks & May, 1999) that the ability to select targets includes a suppression directed at non-targets for younger but less so for older adults, despite spared ability to process relevant information in aging (Gazzaley & D'Esposito, 2007; Gazzaley, Cooney, Rissman, & D'Esposito, 2005). There is also evidence that defective visual suppression of non-target items, as measured with oscillatory electroencephalographic activity, is associated with lower memory retrieval of target information (Gazzaley et al., 2008; see Hamm & Hasher, 1992, for behavioral evidence).

Although most studies focus on the detrimental effects of poor attentional and neural suppression in aging on concurrent tasks, evidence that a suppression deficit at one moment can also have subsequent beneficial effects is starting to emerge. In one study (Rowe, Valderrama, Hasher, & Lenartowicz, 2006), younger and older adults had to initially ignore words superimposed on task-relevant pictures. They were then tested on a word-fragment completion task, to investigate implicit memory for the previously irrelevant words. The results demonstrated an advantage for previous distractors in older adults as compared to their younger controls (see also Kim, Hasher, & Zacks, 2007).

In another recent study (Vallesi, Stuss, McIntosh, & Picton, 2009b), younger and older participants were tested on a go/nogo task while event-related potentials (ERPs) were recorded. There were two types of nogo stimuli: colored letters which created cognitive conflict with go letters (high-conflict nogo: "red O" and "blue X"; go: "blue O" and "red X"), and colored numbers (2, 3) which did not create conflict with the go letters (low-conflict nogo), since they belonged to a different conceptual domain (numbers vs. letters). Performance on the nogo numbers was indeed at ceiling for both age groups but older participants showed an enhanced central P3 for these stimuli, suggesting an increased need to inhibit inappropriate motor preparation (Roberts, Rau, Lutzenberger, & Birbaumer, 1994; Smith, Johnstone, & Barry, 2007). An additional ERP study

demonstrated that older individuals, but not younger controls, show a partial response preparation not only for high-conflict nogo letters, but also for low-conflict nogo numbers, as indicated by the lateralized readiness potential (Vallesi & Stuss, 2010), a measure of unimanual response preparation (Kutas and Donchin, 1980; Vallesi et al., 2005).

Together, these findings suggest the possibility that older individuals have difficulty suppressing the perceptual, conceptual and motor processing of non-target material even when the information is easily distinguishable from targets. Although this suppression failure may not have any behavioural consequence in a given task context, it is possible that it influences performance when task demands change. The present study tests the downstream consequences of processing non-target stimuli by younger and older adults. We do so in the context of an initial task in which no age differences are found on target performance. In particular, we test motor control in an explicit go/nogo task to assess the generality of previous findings using implicit memory transfer tasks (e.g., Rowe et al., 2006), to measure age differences in the sustained influence of suppressing non-target information when it becomes relevant.

To this end, we used a go/nogo task similar to that used in our previous studies (e.g., Vallesi et al., 2009b; Vallesi & Stuss, 2010) as the first task, in which two numbers were used as low-conflict nogo stimuli, and then we assessed, in a subsequent go/nogo task, whether there is an age-dependent advantage in terms of speed when one of those low-conflict stimuli became a go stimulus (i.e., reduced or absent transfer costs). We note that this study extends previous findings because it addresses whether even in the face of a single, simple stimulus (as opposed to the complex stimuli used in other studies, e.g., Kim et al., 2007), transfer of distraction will be seen. We note that if transfer is seen, it will be detected as a RT difference between old nogo/now go stimuli and completely new go stimuli.

Method

Participants

Twenty younger (12 females; mean age: 26 years, range: 19-34) and 20 older (11 females; mean age: 73 years, range: 64-81) volunteers took part in the study. The participants had normal or corrected-to-normal vision and no history of neurological or psychiatric disorders. All were right-handed as assessed with the Oldfield's (Oldfield, 1971) handedness questionnaire (range: 40-100). None of the old adults had dementia (score range on the Mini Mental State Examination: 27-30, Mean = 28.5). Participants provided informed consent before participating in the study, which was previously approved by the Baycrest Ethics Board.

Material and Tasks

Participants were tested individually in a sound-attenuated room. Visual stimuli were presented against a grey background of a computer screen at a distance of about 60 cm. Participants were initially informed about the fact that they would be presented with two tasks, but they did not know anything about the nature of the second task until they completed the first one. We shall describe the two tasks in detail in the following paragraphs.

Task 1: Letter-number go/nogo task. A similar task to that used in Vallesi et al. (2009b) was used here. Go/nogo stimuli were letters and numbers colored in blue or red (50% each). Go stimuli were "red O" and "blue X", and nogo stimuli were either "blue O" and "red X" (high-conflict nogo) or red and blue numbers 2 and 3 (low-conflict nogo). The association between colour and go/nogo letters was counterbalanced between participants. Each trial began with a go/nogo stimulus lasting for 300 ms. A blank screen followed the stimulus presentation. The Inter-Stimulus-Interval (ISI) range was 2.2-4.2 sec to maintain comparability with previous similar studies (e.g., Vallesi et al., 2009b).

Each block consisted of 64 go (50%), 32 high-conflict nogo (25%) and 32 low-conflict nogo (25%) stimuli. Stimulus types were presented in a random fashion. Participants were instructed to press "B" on a computer keyboard when a go stimulus occurred, and not to respond to nogo stimuli. Participants performed 2 blocks of this task. Speed and accuracy were equally emphasized. A 2 sec

deadline was used to accept go responses. Each block was preceded by 6 familiarization trials (not included in the analyses).

Task 2: Number go/nogo task. In this second task, one of the two numbers already used in the previous task as nogo stimuli (2 or 3) was now used as a go stimulus and the other again as a nogo stimulus. The new numbers 5 and 6 were also used, one as a go and the other as a nogo stimulus to provide a baseline condition to assess transfer effects. The association between old/new stimuli and go/nogo responses was counterbalanced across participants. Each trial began with a go/nogo stimulus lasting for 300 ms. A blank screen followed the stimulus presentation. Visual stimuli were presented in black on a grey background. Since our main focus in this task was on age-differences in transfer costs, the ISI was kept constant to 2 sec, in order to avoid possible confounds due to age-related differences in temporal preparation with variable foreperiods (e.g. Vallesi, McIntosh & Stuss, 2009a). Participants performed 2 blocks of this task. Each block consisted of 40 go stimuli (50% old and 50% new), and 40 nogo stimuli (50% old and 50% new). Stimulus types were presented in a random fashion. Participants had to respond by pressing “B” with the right hand to go stimuli, and not to respond to nogo stimuli. Speed and accuracy were equally emphasized. Eight familiarization trials (not included in the analyses) were administered at the beginning of this task.

Data analysis

Practice trials, the first trial of each test block and go responses beyond 150-2000 ms in the initial letter-number go/nogo task and 150-1500 ms in the (easier) number task were discarded from further analyses. Trials with correct go-responses only were included in the analyses on the mean RTs. RTs produced as false alarms to nogo stimuli were not analyzed because they were too few. Go-RTs of the two age-groups in the letter-number task were compared using a t-test for independent groups. Go-RTs in the number go/nogo task were submitted to a 2x2x2 mixed ANOVA with age (young, older) as the between-groups factor, and familiarity (old, new) and block

(first, second) as the repeated measures factors. To find the source of each significant effect, post-hoc Tukey Honestly Significant Difference (HSD) tests were run.

There was a significant main effect of age on the raw RTs, due to older participants being slower than younger controls [$F(1,38)=10.5$, $p=.002$]. Therefore, we transformed RTs to standard z-scores, to test the group differences independently of the age main effect and thus to attenuate a potential role of age-related general slowing. To obtain z-scores for each condition and participant, the mean RT of each age group was subtracted from raw RTs of each individual of that group, and the result was divided by the RT standard deviation of that age group. Error percentages in the two groups were compared using the non-parametric Kolmogorov-Smirnov Test, separately for each stimulus category. Cohen's d and Partial η^2 were used to measure the effect size for significant effects in t-tests and ANOVA, respectively.

Results

Task 1: Letter-number go/nogo task. Responses to go-stimuli were slower in the old than in the younger group [$t(38)=4.01$, $p < .001$, Cohen's $d=0.43$; mean \pm standard error of the mean: 712 ± 20 vs. 605 ± 18 ms]. The error percentage was highest for the high-conflict nogo stimuli ($5.2 \pm 0.5\%$), relatively low for go stimuli ($1.5 \pm 0.5\%$), and at ceiling for the low-conflict nogo stimuli ($0.16 \pm 0.1\%$). One anticipation to go stimuli (RT < 150 ms) only occurred in a young participant. There were no significant differences between the older and the younger groups in terms of accuracy to go (1 ± 0.5 vs. $2.1 \pm 0.9\%$), conflicting nogo ($4.2 \pm 0.8\%$ vs. 6.1 ± 0.5) or irrelevant nogo ($0.1 \pm 0.1\%$ 0.2 ± 0.1) stimuli (all $ps > .1$).

Task 2: Number go/nogo results. There were no anticipations (RTs < 150 ms) or late responses (RTs > 1500 ms) for any participant tested. RTs to go stimuli in the number go/nogo task are shown in Figure 1a.

----Insert Figure 1 about here----

The ANOVA on the z-scores of the go-RTs showed the following effects. A block main effect [$F(1,38)=4.9$, $p<.05$, Partial $\eta^2=.11$] indicated that RTs decreased from the first to the second block. The block by familiarity [$F(1,38)=5.4$, $p<.05$, Partial $\eta^2=.13$] and familiarity by age [$F(1,38)=4.6$, $p<.05$, Partial $\eta^2=.11$] interactions were partially qualified by a 3-way familiarity by block by age interaction [$F(1,38)=8.3$, $p<.01$, Partial $\eta^2=.2$]. This interaction indicated a different pattern of results in the two age groups. Younger individuals had longer RTs for go stimuli that were previously nogo than for new go stimuli in the first block ($p=.004$), a difference which disappeared in the second block ($p=.96$). In contrast, the RT difference between the two types of go stimuli in the older group suggests a facilitation for old nogo/now go stimuli with respect to new go stimuli, but this effect was however not significant in either block ($ps>.13$). To better appreciate this interaction, Figure 1b plots the RT differences between go stimuli that were previously nogo and new go stimuli (baseline) for each block and age group.

Discussion

The present study explored age-related differences in the downstream effects of non-target stimuli on subsequent performance, effects potentially attributable to age differences in inhibitory efficiency. In particular, the study investigated whether non-optimal suppression of non-target material in normal aging also occurs in the absence of detectable behavioral costs, and if so, whether the consequences of this selective attention failure could be observed in a subsequent task, when the non-target material becomes target. This phenomenon has already been shown in other domains, such as implicit memory (e.g., Rowe et al., 2006) and association formation (Campbell, Hasher & Thomas, 2010), but this is the first study that investigates age-related differences in transfer of motor responses with go/nogo tasks. A secondary goal was to check whether reduced transfer costs in aging could also be detected when a single prime stimulus at a time is presented in

the first task (a situation that is well within the processing capacity limits of the aging cognitive system).

The results demonstrate that non-optimal suppression of information that has to be ignored (nogo stimuli) can have paradoxically beneficial after-effects in aging. This was shown by an absence of transfer costs selectively in the older group when the task context changed so that this information became task-relevant (go stimuli). This pattern is in contrast to that observed in younger adults, who showed a small but reliable cost in responding to go stimuli that had been irrelevant on previous trials. This transfer cost was only seen in the first block of trials, suggesting flexibility of the young cognitive system in overcoming long-lasting inhibition when this becomes an obstacle to optimal performance.

We note that a recent electrophysiological study found that low-conflict nogo stimuli, despite performance at ceiling, elicit an early preparation of a partial response in the older group only, as measured with the lateralized readiness potential (Vallesi & Stuss, 2010; see Campbell et al. 2010, for similar behavioral evidence on conceptual processing). This partial response preparation for nogo stimuli is a sign of inhibition decline with aging, although it can additionally have a compensatory role since it showed a positive correlation with response speed for go stimuli.

Altogether, one way to interpret these results is that the failure to suppress processing of non-target information in aging can prevent the occurrence of transfer costs, which has been mainly attributed to long-lasting selective inhibition of the to-be-ignored material. Although selective inhibition is the main mechanism used to explain transfer costs, other possible mechanisms can also account for the transfer costs observed here in the younger group but not in the older one. On an episodic retrieval account, for instance, transfer costs (such as in negative priming) originate from the implicit retrieval of information from previous trials when the current target had to be ignored (Neill, Valdes, Terry, & Gorfein, 1992). The occurrence of the same item leads to the automatic retrieval of the previous processing episode(s) associated to it. Such episodes may contain information about the target/non-target status of the items and the response they require (go vs.

nogo). If there is a conflict in the retrieval episode, whereby an item previously encoded as ‘non-target’ is now coded as ‘target’, slower responses occur because the conflict between processing episodes must be resolved, and not because of the inhibition occurred before.

A more recent study, which uses a task manipulation similar to the current one, offers another explanation of the transfer costs observed in the young adults (Verbruggen & Logan, 2008). Consistent with the current findings, the authors found that responding to stimuli that were previously associated to a nogo response and, after extensive practice, are now mapped to a go response, is slowed down in young adults. The authors interpret these results with an automatic-inhibition account: young adults develop an automatic response inhibition with extensive practice during the first go/nogo task that relies on the association between stimuli and a nogo response; once the mapping between stimuli and go/nogo response is reversed, the automatic retrieval of such association is difficult to overcome and causes a cost with respect to new go stimuli.

When interpreted on the light of the latter account (Verbruggen & Logan, 2008), the current pattern of results would indicate that older adults do not develop an automatic association between a stimulus and the need to inhibit a response, which may imply two possible causes: (i) inhibitory processes are less efficient and do not become automatic in aging and/or (ii) older adults do not learn associations between stimuli and go/nogo responses as efficiently as younger adults. The first possibility, that is, inhibition does not become automatic in aging, is supported by recent electrophysiological evidence that older adults fail to inhibit perceptual and motor processing of non-target information, and show a subsequent pronounced inhibition-related P3 component (Vallesi & Stuss, 2010; Vallesi et al., 2009b).

The second possibility, namely associative learning decline, might as well play a role here. Some forms of associative learning have been found to be impaired in aging (Naveh-Benjamin, 2000; Shing et al., in press). However, unless strategic processes are required to form multiple associations or acquire complex task rules, which is unlikely for the low-conflict nogo numbers used in the first task here, more basic forms of associative learning are minimally affected or intact

in normal aging (Woodruff-Pak, 2001; Levine, Stuss, & Milberg, 1997; Vallesi, McIntosh & Stuss, in press; see also Campbell et al., 2010, for evidence of sparing of higher level associative learning). Finally, the fact that accuracy was matched on conflicting go/nogo letters in task 1 (if anything, older adults slightly although not significantly outperformed younger adults with conflicting nogo stimuli) demonstrates that the older adults tested here had no binding problem, since they were able to combine stimulus identity and color to determine its go/nogo status. However, future research should assess more directly whether, not only a decline in inhibition efficiency, but also putative deficits in motor-related associative learning may contribute to the disappearance of transfer costs with aging.

At any rate, transfer costs represent the ‘side effects’ of efficient attentional mechanisms that protect the cognitive system from interference derived from non-target information. Some have argued that relevant stimuli are likely to be consistently relevant for an extensive period of time, and irrelevant stimuli tend to remain consistently irrelevant (e.g., Tipper et al., 1991). Thus, either episodic retrieval or long-lasting inhibition of previous irrelevant material would generally facilitate coherent and fluid interactions with the environment. Only when the context changes so that previously irrelevant stimuli become relevant, would a cost be apparent, at least until the new contingencies are acquired. As the present results show, these adaptive mechanisms are hindered with aging although, under special conditions, this problem may paradoxically manifest itself as a temporary benefit, that is, as an absence of transfer costs.

One last possibility to consider is that in younger adults, repeated exposure to the same irrelevant stimulus (such as a word or a color) typically results in slower responses to the familiarized stimulus than to a comparable novel stimulus, because of a habituation of brain responses to those stimuli (Fabiani, Low, Wee, Sable, & Gratton, 2006) and decreased alertness (Cecil, Kraut, & Smothergill, 1984; Kraut, Smothergill, & Farkas, 1981). However, the fact that responses to familiarized go (previous nogo) stimuli became faster from the first to the second block of the second task in the younger group rules out an alertness decrease account for repeated

stimuli to explain the current pattern of results. A similar finding reported by Verbruggen & Logan (2008) also argues against an alertness decrease explanation: young participants in their experiments were faster in responding to current go stimuli that had already been presented as go stimuli in a previous task than to new go stimuli.

In conclusion, this study demonstrates that a decline in selective attention associated with aging can be detected even when no behavioral costs are observed in a given task. The consequences of this selective attention failure, which span different domains from the semantic level to the motor one, can be multifaceted and last for a considerable amount of time, ranging from costs to benefits depending on the task context.

Acknowledgements

This research was partially supported by a postdoctoral fellowship funding from Canadian Institute of Health Research (CIHR, MFE-87658) to AV, a grant from CIHR to LH, and by funding from the Heart and Stroke Foundation Centre for Stroke Recovery and Posluns Centre for Stroke and Cognition.

References

- Campbell, K.L., Hasher, L. & Thomas R.C. (2010). Hyper-Binding: A Unique Age Effect. *Psychological Science*. doi:10.1177/0956797609359910
- Cecil, L.S., Kraut, A.G., & Smothergill, D.W. (1984). An alertness decrement hypothesis of response inhibition to repeatedly presented stimuli. *Am J Psychol.*, 97, 391-398.
- Fabiani, M., Low, K.A., Wee, E., Sable, J.J., & Gratton, G. (2006). Reduced suppression or labile memory? Mechanisms of inefficient filtering of irrelevant information in older adults. *J Cogn Neurosci.*, 18, 637-650.
- Gazzaley, A., Clapp, W., Kelley, J., McEvoy, K., Knight, R.T., & D'Esposito, M. (2008). Age-related top-down suppression deficit in the early stages of cortical visual memory processing. *Proc.Natl.Acad.Sci.U.S.A*, 105, 13122-13126.
- Gazzaley, A., Cooney, J.W., Rissman, J., & D'Esposito, M. (2005). Top-down suppression deficit underlies working memory impairment in normal aging. *Nat.Neurosci.*, 8, 1298-1300.
- Gazzaley, A. & D'Esposito, M. (2007). Top-down modulation and normal aging. *Ann.N.Y.Acad.Sci.*, 1097, 67-83.
- Hamm, V.P. & Hasher, L. (1992). Age and the availability of inferences. *Psychol.Aging*, 7, 56-64.
- Hasher, L., Chung, C., May, C.P., & Foong, N. (2002). Age, time of testing, and proactive interference. *Canadian Journal of Experimental Psychology*, 56, 200-207.
- Hasher, L. & Zacks, R.T. (1988). Working memory, comprehension, and aging: A review and a new view. In G.H.Bower (Ed.), *The Psychology of Learning and Motivation (Vol. 22, pp. 193-225)*. New York: Academic Press.
- Hasher, L., Zacks, R.T., & May, C P. (1999). Inhibitory control, circadian arousal, and age. In D.Gopher & A. Koriat (Eds.), *Attention and Performance XVII, Cognitive Regulation of Performance: Interaction of Theory and Application* (pp. 653-675). Cambridge, MA: MIT Press.
- Houghton, G. & Tipper, S.P. (1994). A model of inhibitory mechanisms in selective attention. In D.Dagenbach & T. Carr (Eds.), *Inhibitory mechanisms in attention, memory and language* (pp. 53-112). San Diego CA: Academic Press.
- Ikier, S., Yang, L., & Hasher, L. (2008). Implicit proactive interference, age, and automatic versus controlled retrieval strategies. *Psychol.Sci.*, 19, 456-461.
- Kim, S., Hasher, L., & Zacks, R.T. (2007). Aging and a benefit of distractibility. *Psychonomic Bulletin & Review*, 14, 301-305.
- Kraut, A. G., Smothergill, D. W., & Farkas, M. S. (1981). Stimulus repetition effects on attention to words and colors. *J Exp.Psychol.Hum.Percept.Perform.*, 7, 1303-1311.

- Kutas, M. and Donchin, E. (1980). Preparation to respond as manifested by movement-related brain potentials. *Brain Res.*, 202, 95-115.
- Levine, B., Stuss, D. T., & Milberg, W. P. (1997). Effects of aging on conditional associative learning: process analyses and comparison with focal frontal lesions. *Neuropsychology*, 11, 367-381.
- Neill, W. T. (1977). Inhibitory and facilitatory processes in selective attention. *Journal of Experimental Psychology: Human Perception and Performance*, 3, 444-450.
- Neill, W. T., Valdes, L. A., Terry, K. M., & Gorfein, D. S. (1992). Persistence of negative priming: II. Evidence for episodic trace retrieval. *J Exp.Psychol.Learn.Mem.Cogn*, 18, 993-1000.
- Oldfield, R. C. (1971). The assessment and analysis of handedness: the Edinburgh inventory. *Neuropsychologia*, 9, 97-113.
- Roberts, L. E., Rau, H., Lutzenberger, W., & Birbaumer, N. (1994). Mapping P300 Waves onto inhibition: Go\No-Go discrimination. *Electroencephalography and clinical Neurophysiology*, 92, 44-55.
- Rowe, G., Valderrama, S., Hasher, L., & Lenartowicz, A. (2006). Attentional disregulation: a benefit for implicit memory. *Psychol.Aging*, 21, 826-830.
- Shing, Y. L., Werkle-Bergner, M., Brehmer, Y., Muller, V., Li, S. C., & Lindenberger, U. (in press). Episodic memory across the lifespan: The contributions of associative and strategic components. *Neurosci.Biobehav.Rev.*
- Smith, J. L., Johnstone, S. J., & Barry, R. J. (2007). Response priming in the Go/NoGo task: the N2 reflects neither inhibition nor conflict. *Clin Neurophysiol.*, 118, 343-355.
- Tipper, S. P., Weaver, B., Cameron, S., Brehaut, J. C., & Bastedo, J. (1991). Inhibitory mechanisms of attention in identification and localization tasks: time course and disruption. *J Exp.Psychol.Learn.Mem.Cogn*, 17, 681-692.
- Vallesi A., Mapelli D., Schiff S., Amodio P., Umiltà C. (2005). Horizontal and Vertical Simon effect: two different underlying mechanisms? *Cognition*, 96, B33-B43; Erratum in: *Cognition* (2005), 96, B115.
- Vallesi, A., McIntosh A.R., & Stuss, D.T. (in press). Over-recruitment in the aging brain as a function of task demands: evidence for a compensatory view. *Journal of Cognitive Neuroscience*. DOI:10.1162/jocn.2010.21490.
- Vallesi, A., McIntosh, A. R., & Stuss, D. T. (2009a). Temporal preparation in aging: a functional MRI study. *Neuropsychologia*, 47, 2876-2881.
- Vallesi, A., & Stuss, D.T. (2010). Excessive sub-threshold motor preparation for non-target stimuli in normal aging. *Neuroimage*, 50, 1251-1257.

- Vallesi, A., Stuss, D.T., McIntosh, A. R., & Picton, T. W. (2009b). Age-related differences in processing irrelevant information: evidence from event-related potentials. *Neuropsychologia*, *47*, 577-586.
- Verbruggen, F., & Logan, G.D. (2008). Automatic and controlled response inhibition: associative learning in the go/no-go and stop-signal paradigms. *Journal of Experimental Psychology: General*, *137*, 649-672.
- Yang, L. & Hasher, L. (2007). The enhanced effects of pictorial distraction in older adults. *J Gerontol.B Psychol.Sci.Soc.Sci.*, *62*, 230-233.
- Woodruff-Pak, D. S. (2001). Eyeblink classical conditioning differentiates normal aging from Alzheimer's disease. *Integr.Physiol Behav.Sci.*, *36*, 87-108.

Figure Captions

Figure 1. Panel A. Mean response times (and standard errors of the mean) as a function of go condition, block and age in the second go/nogo task (numbers only). Although the raw response times are displayed in the figure, statistical analyses were performed on the z-transformed data to rule out confounding effects of age-related slowing. *Panel B.* Same data as in Panel A but now shown as the mean response time differences (and standard errors of the mean) between old and new go stimuli for each block and age group.

Figure 1

